

Tapered Roller Bearing	Bearing No	NRJ BEARING dimension							dynamic load Cr	static load Cor	NW kg
Bearing		d	D	B	C	T	Rmin	rmin			
single row Metric	EH-30202	15	35	11	10	11.75	0.6	0.6	15	14.3	0.052
single row Metric	30203	17	40	12	11	13.25	1	1	20.7	21.9	0.079
single row Metric	30204	20	47	14	12	15.25	1	1	28.2	30.6	0.126
single row Metric	30205	25	52	15	13	16.25	1	1	32.2	37	0.154
single row Metric	30205X2	25	52	22.5	13	23.75	5.5	1	32.2	37	0.195
single row Metric	30205SC	25	52	15	13	16.25	1	1	33.2	37	0.155
single row Metric	30206	30	62	16	14	17.25	1	1	43.3	50.5	0.231
single row Metric	30206A	30	62	16	14	17.25	1	1	45.5	50.5	0.231
single row Metric	30207	35	72	17	15	18.25	1.5	1.5	54.2	63.5	0.331
single row Metric	30208	40	80	18	16	19.75	1.5	1.5	63	74	0.422
single row Metric	30208A	40	80	18	16	19.75	1.5	0.8	63	74	0.417
single row Metric	30209	45	85	19	16	20.75	1.5	1.5	67.9	83.6	0.474
single row Metric	30209A	40	85	19	16	20.75	0.4	1.5	67.9	83.6	0.474
single row Metric	30210	50	90	20	17	21.75	1.5	1.5	73.3	92.1	0.529
single row Metric	30211	55	100	21	18	22.75	2	1.5	90.8	113.7	0.713
single row Metric	30212	60	110	22	19	23.75	2	1.5	103.3	130	0.904
single row Metric	30213	65	120	23	20	24.75	2	1.5	120.6	152.6	1.13
single row Metric	30214	70	125	24	21	26.25	2	1.5	132.3	173.6	1.26
single row Metric	30215	75	130	25	22	27.25	2	1.5	138.4	185.4	1.36
single row Metric	30216	80	140	26	22	28.25	2.5	2	160.4	212.8	1.67
single row Metric	30217	85	150	28	24	30.5	2.5	2	177.6	236.8	2.06
single row Metric	30218	90	160	30	26	32.5	2.5	2	200.1	269.6	2.54
single row Metric	30219	95	170	32	27	34.5	3	2.5	226.6	309	3.04
single row Metric	30220	100	180	34	29	37	3	2.5	253.9	350.3	3.72
single row Metric	30221	105	190	36	30	39	3	2.5	285.3	398.6	4.38
single row Metric	30222	110	200	38	32	41	3	2.5	314.9	443.6	5.21
single row Metric	30224	120	215	40	34	43.5	3	2.5	337.4	483.3	6.2
single row Metric	30226	130	230	40	34	43.75	4	3	366	521.4	6.94
single row Metric	30228	140	250	42	36	45.75	4	3	409.2	584.7	8.73
single row Metric	30302	15	42	13	11	14.25	1	1	22.9	21.6	0.0944
single row Metric	30303	17	47	14	12	15.25	1	1	28.3	27.2	0.129
single row Metric	EH30303D	17	47	14	10.5	15.25	1	1	22.3	22.7	0.13
single row Metric	30304	20	52	15	13	16.25	1.5	1.5	33.1	33.2	0.165
single row Metric	30304C	20	52	16	12	16.25	1.5	1.5	32.3	32.6	0.167
single row Metric	30304CB	20	52	16	11	8.25	1.5	1	32.3	32.6	0.176
single row Metric	30304A	20	52	15	13	16.25	1.5	0.5	33.1	33.2	0.164

single row Metric	30305	25	62	17	15	18.25	1.5	1.5	46.9	48.1	0.263
single row Metric	HR30305C	25	62	17	14	18.25	1.5	1.5	41	45.9	0.267
single row Metric	30305X2B	25	62	17	14	18.25	1.5	1.5	40.4	48	0.2606
single row Metric	30306	30	72	19	16	20.75	1.5	1.5	59	63.1	0.387
single row Metric	30306C	30	72	19	16	20.75	1.5	1.5	57.5	59.9	0.382
single row Metric	30306X2B	30	72	23	18	24.35	1.5	1.5	58.2	76.5	0.477
single row Metric	EH30306D	30	72	19	14	20.75	1.5	1.5	48.8	52	0.386
single row Metric	30307	35	80	21	18	22.75	2	1.5	75.3	82.6	0.515
single row Metric	30308	40	90	23	20	25.25	2	1.5	90.9	107.6	0.747
single row Metric	EH30308D	40	90	23	17	25.25	2	1.5	81	91	0.729
single row Metric	30309	45	100	25	22	27.25	2	1.5	108.9	129.8	0.984
single row Metric	30309X2B	45	100	29	20.5	32	2.5	2.5	101.1	110.8	1.081
single row Metric	30310	50	110	27	23	29.25	2.5	2	130.1	157.1	1.28
single row Metric	30311	55	120	29	25	31.5	2.5	2	153.3	187.6	1.63
single row Metric	30312	60	130	31	26	33.5	3	2.5	171.4	210	1.99
single row Metric	30313	65	140	33	28	36	3	2.5	195.9	241.7	2.44
single row Metric	30314	70	150	35	30	38	3	2.5	219	271.7	2.98
single row Metric	30314A	70	150	35	30	38	8.5	2.5	219	271.7	2.98
single row Metric	30315	75	160	37	31	40	3	2.5	252.8	318.8	3.57
single row Metric	30316	80	170	39	33	42.5	3	2.5	278.8	352.5	4.27
single row Metric	30317	85	180	41	34	44.5	4	3	304.9	388.2	4.96
single row Metric	30318	90	190	43	36	46.5	4	3	342.1	440.9	5.8
single row Metric	30319	95	200	45	38	49.5	4	3	369	477.7	6.8
single row Metric	30320	100	215	47	39	51.5	4	3	406.4	526.4	8.22
single row Metric	30321	105	225	49	41	53.5	4	3	433.1	561.9+	9.38
single row Metric	30322	110	240	50	42	54.5	4	3	472.1	612.4	11
single row Metric	30324	120	260	55	46	59.5	4	3	562.6	746.1	14.2
single row Metric	31304	20	52	15	11	8.25	1.5	1	26.4	26.7	0.172
single row Metric	31305	25	62	17	13	18.25	1.5	1.5	40.7	46.1	0.262
single row Metric	31306	30	72	19	14	20.75	1.5	1.5	52.5	60.4	0.385
single row Metric	31306V3Q	32	72	23.1	14	10	1.5	1	52.5	60.4	0.388
single row Metric	31307	35	80	21	15	22.75	2	1.5	65.7	76.8	0.514
single row Metric	31308	40	90	23	17	25.25	2	1.5	81.4	96.4	0.727
single row Metric	31309	45	100	25	18	27.25	3	2.5	95.6	113.8	0.944
single row Metric	31309A	45	110	25	18	27.25	1.3	1.5	95.6	113.8	0.949
single row Metric	31310	50	110	27	19	29.25	2.5	2	108	128.5	1.21
single row Metric	31311	55	120	29	21	31.5	2.5	2	129.9	158	1.56
single row Metric	31312	60	130	31	22	33.5	3	2.5	145.4	176.8	1.9
single row Metric	31313	65	140	33	23	36	3	2.5	165.7	202.6	2.37
single row Metric	31314	70	150	35	25	38	3	2.5	186.9	231	2.86
single row Metric	31315	75	160	37	26	40	3	2.5	208.5	258.9	3.38
single row Metric	31316	80	170	39	27	42.5	3	2.5	229.8	287.1	4.05
single row Metric	31317	85	180	41	28	44.5	4	3	253.9	319.1	4.69

single row Metric	31318	90	190	43	30	46.5	4	3	281.7	357.1	5.46
single row Metric	31319	95	200	45	32	49.5	4	3	311.4	399.8	6.46
single row Metric	31320	100	215	51	35	56.5	4	3	372.9	488.2	8.59
single row Metric	31321	105	225	53	36	58	4	3	398.5	523.8	9.58
single row Metric	31322	110	240	57	38	63	4	3	458.4	611.4	12.1
single row Metric	31324	120	260	62	42	68	4	3	535.2	723.5	15.3
single row Metric	32004X	20	42	15	12	15	0.6	0.6	25.1	28.2	0.0952
single row Metric	320/22	22	44	15	11.5	15	0.6	0.6	26.1	30.3	0.0999
single row Metric	32005X	25	47	15	11.5	15	0.6	0.6	28	34.1	0.1116
single row Metric	32005-RS	25	47	17	12.4	17	0.6	0.6	28	34.1	0.1256
single row Metric	320/28X	28	52	16	12	16	1	1	31.1	39.8	0.142
single row Metric	32006X	30	55	17	13	17	1	1	35.7	46.8	0.17
single row Metric	320/32	32	58	17	13	17	1	1	36.5	49.2	0.187
single row Metric	32007X	35	62	18	14	18	1	1	43.2	59.2	0.224
single row Metric	32007X/Q	35	62	18	14	18	3.5	1	43.9	56.4	0.221
single row Metric	32008X1WC	40	72	19	14.5	19	1	1	54.8	72.6	0.32
single row Metric	32008X/Q	40	68	19	14.5	19	3.56	1	51.9	71.1	0.269
single row Metric	32009	45	75	20	15.5	20	1	1	58.4	81.4	0.337
single row Metric	32010X	50	80	20	15.5	20	3	1	61.1	89	0.362
single row Metric	32011	55	90	23	17.5	23	1.5	1.5	80.2	117.2	0.551
single row Metric	32012	60	95	23	17.5	23	1.5	1.5	81.7	122.2	0.584
single row Metric	32013	65	100	23	17.5	23	1.5	1.5	82.8	127.3	0.62
single row Metric	32014	70	110	25	19	25	1.5	1.5	104.3	160.1	0.839
single row Metric	32014B	70	110	25	19	11	1.5	1.5	104.3	160.1	0.872
single row Metric	32015	75	115	25	19	25	1.5	1.5	103.1	160.2	0.875
single row Metric	32015X	75	115	25	19	25	3.5	1.5	103.1	160.2	0.869
single row Metric	32016	80	125	29	22	29	1.5	1.5	141	220	1.252
single row Metric	32017	85	130	29	22	29	1.5	1.5	139.8	220.3	1.32
single row Metric	32018	90	140	32	24	32	2	1.5	171.3	271	1.72
single row Metric	32019	95	145	32	24	32	2	1.5	174.6	281.3	1.79
single row Metric	32019A	95	145	32	24	32	6	1.5	165.2	278.1	1.77
single row Metric	32020	100	150	32	24	32	2	1.5	173.1	281.7	1.85
single row Metric	32021	105	160	35	26	35	2.5	2	205.4	335.8	2.4
single row Metric	32022X	110	170	38	29	38	2.5	2	245.7	403.4	3.02
single row Metric	32024	120	180	38	29	38	2.5	2	242.1	404.4	3.18
single row Metric	32026	130	200	45	34	45	2.5	2	333.7	567.1	4.94
single row Metric	32028	140	210	45	34	45	2.5	2	329.8	567.8	5.15
single row Metric	32030	150	225	48	36	48	3	2.5	367.6	635.8	6.25
single row Metric	32032	160	240	51	38	51	3	2.5	419.6	734.5	7.66
single row Metric	32034	170	260	57	43	57	3	2.5	519.4	920.5	10.4
single row Metric	32203A	17	40	16	14	17.25	1.5	1	30.4	31.5	0.1
single row Metric	32204	20	47	18	15	19.25	1	1	33.2	35	0.157
single row Metric	32205	25	52	18	16	19.25	1	1	41.3	49.2	0.199

single row Metric	32205B	25	52	18	15	19.25	1	1	33.6	45.1	0.186
single row Metric	32206	30	62	20	17	21.25	1	1	51.8	63.7	0.287
single row Metric	32207	35	72	23	19	24.25	1.5	1.5	70.6	89.5	0.445
single row Metric	32208	40	80	23	19	24.75	1.5	1.5	77.9	97.2	0.532
single row Metric	32209	45	85	23	19	24.75	1.5	1.5	80.7	104	0.573
single row Metric	32209A	45	85	23	19	24.75	4	1.5	80.7	104	0.573
single row Metric	32210	50	90	23	19	24.75	1.5	1.5	82.8	107.6	0.626
single row Metric	32211	55	100	25	21	26.75	2	1.5	108	142.3	0.853
single row Metric	32212	60	110	28	24	29.75	2	1.5	132.8	179.6	1.17
single row Metric	32212A	60	110	28	24	29.75	7	1.5	132.8	179.6	1.14
single row Metric	32213	65	120	31	27	32.75	2	1.5	160.9	221.7	1.55
single row Metric	32214	70	125	31	27	33.25	2	1.5	168.5	237.1	1.64
single row Metric	32215	75	130	31	27	33.25	2	1.5	170.3	242.1	1.74
single row Metric	32216	80	140	33	28	35.25	2.5	2	198.1	279	2.13
single row Metric	32217	85	150	36	30	38.5	2.5	2	226.7	324	2.68
single row Metric	32218	90	160	40	34	42.5	2.5	2	269.8	395.5	3.44
single row Metric	32218J2	90	160	40	34	42.5	2.5	2	257.9	351.9	3.327
single row Metric	32219	95	170	43	37	45.5	3	2.5	302.5	448.4	4.24
single row Metric	32219J2	95	170	43	37	45.5	2.5	5.5	302.5	448.4	4.211
single row Metric	32220	100	180	46	39	49	3	2.5	341	512	5.1
single row Metric	32221	105	190	50	43	53	3	2.5	381	579.2	6.276
single row Metric	32222	110	200	53	46	56	3	2.5	431.7	666.3	7.412
single row Metric	32303	17	47	19	16	20.25	1	1	35.3	36.3	0.173
single row Metric	32304	20	52	21	18	22.25	1.5	1.5	42.7	46.3	0.23
single row Metric	32305	25	62	24	20	25.25	1.5	1.5	61.6	68.8	0.368
single row Metric	32306	30	72	27	23	28.75	1.5	1.5	81.6	96.4	0.562
single row Metric	32307	35	80	31	25	32.75	2	1.5	99	118.3	0.763
single row Metric	32308	40	90	33	27	35.25	2	1.5	115.7	147.8	1.04
single row Metric	32309	45	100	36	30	38.25	2	1.5	145.3	189.4	1.4
single row Metric	32310	50	110	40	33	42.25	2.5	2	177.5	236.1	1.89
single row Metric	32311	55	120	43	35	45.5	2.5	2	203	271.4	2.37
single row Metric	32312	60	130	46	37	48.5	3	2.5	226.7	303	2.9
single row Metric	32313	65	140	48	39	51	3	2.5	259.6	349.8	3.51
single row Metric	32313B	65	140	48	39	51	3	2.5	259.9	368	3.718
single row Metric	32314	70	150	51	42	54	3	2.5	298.9	408.5	4.34
single row Metric	32314B	70	150	51	42	54	3	2.5	292.9	417.5	4.52
single row Metric	32315	75	160	55	45	58	3	2.5	347.4	483.1	5.37
single row Metric	32316	80	170	58	48	61.5	3	2.5	387.9	543.1	6.38
single row Metric	32317	85	180	60	49	63.5	4	3	421.8	592.8	7.31
single row Metric	32318	90	190	64	53	67.5	4	3	478.3	683.3	8.81
single row Metric	32319	95	200	67	55	71.5	4	3	516.1	737.7	10.1
single row Metric	32320	100	215	73	60	77.5	4	3	600.1	872.2	13
single row Metric	32321	105	225	77	63	81.5	4	3	647.2	945.2	14.8

single row Metric	32322	110	240	80	65	84.5	4	3	723.7	1064.4	17.8
single row Metric	32324	120	260	86	69	90.5	4	3	825.8	1226.2	22.1
single row Metric	33005	25	47	17	14	17	0.6	0.6	32.5	42.5	0.129
single row Metric	33006	30	55	20	16	20	1	1	43.7	58.8	0.201
single row Metric	33007	35	62	21	17	21	1	1	46.9	63.3	0.254
single row Metric	33008	40	68	22	18	22	1	1	60.2	79.6	0.306
single row Metric	33009	45	75	24	19	24	1	1	72.6	100.4	0.398
single row Metric	33010	50	80	24	19	24	1	1	76.8	110.9	0.433
single row Metric	33011	55	90	27	21	27	1.5	1.5	94.9	144.7	0.64
single row Metric	33012	60	95	27	21	27	1.5	1.5	96.7	151.1	0.691
single row Metric	33013	65	100	27	21	27	1.5	1.5	100.9	163.6	0.723
single row Metric	33014	70	110	31	25.5	31	1.5	1.5	134.4	220.4	1.07
single row Metric	33015	75	115	31	25.5	31	1.5	1.5	133.1	221.2	1.12
single row Metric	33016	80	125	36	29.5	36	1.5	1.5	181.9	304.3	1.63
single row Metric	33017	85	130	36	29.5	36	1.5	1.5	180.4	305.5	1.69
single row Metric	33018	90	140	39	32.5	39	2	1.5	232.6	388.6	2.2
single row Metric	33019	95	145	39	32.5	39	2	1.5	231	389.9	2.26
single row Metric	33020	100	150	39	32.5	39	2	1.5	229.5	391.2	2.33
single row Metric	33021	105	160	43	34	43	2.5	2.5	264.7	453.5	3.003
single row Metric	33022	110	170	47	37	47	2.5	2	288.7	502.7	3.74
single row Metric	33108	40	75	26	20.5	26	1.5	1.5	84.7	110.3	0.486
single row Metric	33109	45	80	26	20.5	26	1.5	1.5	87.1	117.2	0.535
single row Metric	33110	50	85	26	20	26	1.5	1.5	89.3	124.1	0.572
single row Metric	33111	55	95	30	23	30	1.5	1.5	114.5	164.8	0.843
single row Metric	33112	60	100	30	23	30	1.5	1.5	117.1	173.2	0.895
single row Metric	331126	105	170	38	29	38	2.5	2	245.7	403.4	3.274
single row Metric	33113	65	110	34	26.5	34	1.5	1.5	142.8	220.4	1.3
single row Metric	33113X2	65	110	30	24	30.5	3	3	124.2	181	1.131
single row Metric	33114	70	120	37	29	37	2	1.5	172.1	267	1.7
single row Metric	33114X2	70	120	33	27	33	2	1.5	159.1	221.8	1.437
single row Metric	33115	75	125	37	29	37	2	1.5	176.1	279.6	1.78
single row Metric	33116	80	130	37	29	37	2	1.5	179.6	292.3	1.87
single row Metric	33116 /Q	80	130	37	29	37	2.5	2	186.7	290.7	1.84
single row Metric	33117	85	140	41	32	41	2.5	2	215.7	354.2	2.43
single row Metric	33118	90	150	45	35	45	2.5	2	252.1	414.7	3.13
single row Metric	33119	95	160	49	38	49	2.5	2	298.9	498.2	3.94
single row Metric	33120	100	165	52	40	52	2.5	2	309.4	529.2	4.31
single row Metric	33121	105	175	56	44	56	2.5	2	351.8	607.8	5.29
single row Metric	33122	110	180	56	43	56	2.5	2	373.2	639.1	5.5
single row Metric	33124	120	200	62	48	62	2.5	2	448.2	779.1	7.68
single row Metric	33205	25	52	22	18	22	1	1	47.1	55.8	0.216
single row Metric	33205/Q	25	52	22	18	22	1	1.3	47.3	59.5	0.22
single row Metric	33206	30	62	25	19.5	25	1	1	63.8	75.4	0.342

single row Metric	33207	35	72	28	22	28	1.5	1.5	82.6	101.7	0.515
single row Metric	33208	40	80	32	25	32	1.5	1.5	105.8	135.5	0.715
single row Metric	33209	45	85	32	25	32	1.5	1.5	109.5	145.1	0.771
single row Metric	33210	50	90	32	24.5	32	1.5	1.5	112.9	154.6	0.825
single row Metric	33211	55	100	35	27	35	2	1.5	143.1	196.7	1.15
single row Metric	33212	60	110	38	29	38	2	1.5	165.8	231.4	1.51
single row Metric	33213	65	120	41	32	41	2	1.5	202.2	281.6	1.99
single row Metric	33214	70	125	41	32	41	2	1.5	208.6	298.3	2.1
single row Metric	33215	75	130	41	31	41	2	1.5	207.1	299.7	2.17
single row Metric	33216	80	140	46	35	46	2.5	2	245.7	361.8	2.83
single row Metric	33216 X2	80	140	45	36.5	45	2.5	2.5	226.6	348.5	2.775
single row Metric	33217	85	150	49	37	49	2.5	2	281.7	415.7	3.52
single row Metric	33218	90	160	55	42	55	2.5	2	330.6	499.7	4.55
single row Metric	33219	95	170	58	44	58	3	2.5	377.4	568.4	5.48
single row Metric	33220	100	180	63	48	63	3	2.5	436.5	666.2	6.71
single row Metric	33221	105	190	68	52	68	3	2.5	497.8	770.5	8.12

|

