



Tapered Roller	Bearing No	NRJ BEARING dimension							dynamic	static	NW kg
		d	D	B	C	T	Rmin	rmin	load Cr	load Cor	
Bearing											
single row Inch	C101	15	34.988	10.785	8.5	10.998	0.8	1.3	15.1	15.4	0.0503
single row Inch	C102 (CBK257)	15	42	13.5	10	13	1	1.5	20.7	23.7	0.0953
single row Inch	639211/13	15	42	13.5	10	13	1.2	1.3	17.8	18.7	0.0949
single row Inch	11590/20	15.875	42.862	14.288	9.525	14.288	1.5	1.5	17.1	17.9	0.102
single row Inch	TR0305C-9	17	47	15	11	15.25	1	1	25.8	27.8	0.135
single row Inch	LM11749/10	17.462	39.878	14.605	10.668	13.843	1.3	1.3	23	23.2	0.084
single row Inch	LM11949/LM11910	19.05	45.238	16.637	12.065	15.494	1.3	1.3	27.5	29.5	0.12
single row Inch	LM11949/10N	19.05	45.238	16.637	12.065	15.494	0.65	0.65	27.5	29.5	0.12
single row Inch	TPD003	20	43	12	11	13.25	2.5	1.5	21.6	23.7	0.086
single row Inch	LM12748/10	21.43	45.237	16.637	12.065	15.494	1.3	1.3	28	32	0.12
single row Inch	M12649/10	21.43	50.005	18.288	13.97	17.526	1.3	1.3	37.5	40	0.172
single row Inch	30204A/EC12771	21.5	47	14	10.45	15.25	1	1	30.5	31	0.119
single row Inch	C508	21.986	41	14.684	11.4	14.48	0.8	0.8	22.5	28	0.085
single row Inch	LM12749/10	21.987	45.237	16.637	12.065	15.494	1.3	1.3	28	32	0.116
single row Inch	LM12749/11	21.987	45.975	16.637	12.065	15.494	1.3	1.3	28	32	0.121
single row Inch	KJL22349F/10	22	41	14.4	11.4	14.4	0.8	0.8	20.9	27.8	0.079
single row Inch	JL22349F/10	22	41	14.4	11.4	14.4	0.8	0.8	20.9	27.8	0.0839
single row Inch	XC06536CD	22	45	16.6	12	6.5	1.5	1.5	29.6	33.8	0.115
single row Inch	NP880810/419272	22.225	50.8	20.168	12.45	14.1	2	1.8	25	28.5	0.161
single row Inch	07087X/10X	22.225	50.81	14.26	12.7	15.011	1.5	1.5	25.6	29	0.147
single row Inch	639175/72	23	51.994	14.26	12.7	15.011	3	1.3	26.2	31.4	0.153
single row Inch	C183 (CK258)	23	52	14.26	12.7	15.011	3	1.3	25.9	31.2	0.153
single row Inch	ST2358	23	58	16.5	15	18.25	0.8	0.8	35.3	42.3	0.242
single row Inch	ST2358/P5	23	58	16.5	15	18.25	0.8	0.8	35.3	42.3	0.242
single row Inch	1779/1729	23.812	56.896	19.837	15.875	19.367	0.8	1.3	43.7	47.8	0.236
single row Inch	R25-33	25	52	17	15	18.25	1	1	38.9	41.8	0.179
single row Inch	07100/96	25.4	50.005	14.26	9.525	13.495	1	1	25.6	29	0.117
single row Inch	L44643/10	25.4	50.292	14.732	10.668	14.224	1.3	1.3	27	32	0.126
single row Inch	L44643/10L	25.4	50.292	14.732	10.668	14.224	1.3	1.3	25.6	32.8	0.1345
single row Inch	07100S/10X	25.4	50.81	14.26	12.7	15.011	1.5	1.5	25.6	29	0.134
single row Inch	15101/245	25.4	62	20.638	14.288	19.05	0.8	1.3	42.7	50.9	0.295
single row Inch	NP167243/570491	25.4	62	19.431	14.732	19.431	1.5	1.5	43.3	50.3	0.294
single row Inch	23100/256	25.4	65.088	21.463	15.875	22.225	1.5	1.5	48.1	52.2	0.368
single row Inch	C107 (CBK171)	26	52	14.26	12.7	15.011	2.9	1.5	25.9	31.2	0.14
single row Inch	639154/Q	26	57.15	17.462	13.495	17.462	3.6	1.6	38.1	48.6	0.213
single row Inch	6391514X	26	57.15	17.462	13.495	17.462	3.6	2	38.1	48.6	0.213
single row Inch	6-7805Y	26	57.15	17.462	14	17.462	3.6	1	38.75	46.9	0.211
single row Inch	C121	26	57.15	17.462	13.495	17.462	4.5	1.5	38.1	48.4	0.212
single row Inch	L44649/10	26.988	50.292	14.732	10.668	14.224	3.5	1.3	28.3	33	0.118
single row Inch	ST2749	27	49	15	11.5	15	3.3	1	28.6	37.7	0.118
single row Inch	ST2850/L45410YA	28	50.292	16.72	10.668	14.22	3.56	2	27.1	36.1	0.123
single row Inch	28KW01ag5/01g	28	50.292	16.65	10.668	14.224	4.35	2	27.1	36.1	0.12
single row Inch	TF28KW04g01g	28	50.292	18.65	10.668	14.224	4.35	2	27.1	36.1	0.127
single row Inch	HR320/28XJ	28	52	16	12	16	1	1	31.1	39.8	0.142
single row Inch	TR285216g	28	52	18.5	12	16	3.5	1.5	32.6	39.8	0.144

single row Inch	639297/154	28	57.15	17.462	13.495	17.462	3.6	1.6	38.1	48.6	0.201
single row Inch	302/28	28	58	16	12	17.25	1.5	1.5	36.9	40.5	0.197
single row Inch	02474/20	28.575	68.262	22.225	17.462	22.225	0.8	1.6	53.4	65.3	0.404
single row Inch	329013A/Q	29	50.292	17.5	10.668	14.224	2.3	1.6	26.8	34	0.12
single row Inch	L45449/10	29	50.292	14.732	10.668	14.224	3.5	1.3	26.8	34	0.113
single row Inch	C426	29	50.292	17.5	10.668	14.224	2.3	1.3	26.8	34	0.12
single row Inch	BT1B328236A/	30	62	18.1	15.5	5.3	1.5	1.5	43.6	47.8	0.253
single row Inch	ST3065	30	65	22	17	21.65	1.5	0.3	58.2	64.7	0.337
single row Inch	TRA0607	30	72	19	14	20.75	1.5	1.5	53.6	51.3	0.381
single row Inch	14118/14283	30	72.085	19.202	18.415	23.385	0.8	2.3	49.7	64.3	0.448
single row Inch	M86649/10	30.162	64.292	21.433	16.67	21.433	1.5	1.5	52.9	67.2	0.336
single row Inch	M88043/M88010	30.162	68.262	22.225	17.462	22.225	2.3	1.5	56.3	71.3	0.407
single row Inch	15118/245	30.213	62	20.638	14.288	19.05	3.5	1.3	42.7	50.9	0.259
single row Inch	0687/0671	31.75	54.01	15	12	15.011	3.3	1.3	32.2	43.2	0.135
single row Inch	31KW01g	31.75	54.01	15	12	15.011	3.3	1.3	34.9	45.3	0.1374
single row Inch	LM67048/10	31.75	59.131	16.764	11.811	15.875	3.56	1.3	35.6	42.2	0.183
single row Inch	LM67049A/10	31.75	59.131	16.764	11.811	15.875	0.8	1.3	35.6	42.2	0.187
single row Inch	LM67045/10	31.75	59.131	18.57	11.811	15.875	2	1.3			0.192
single row Inch	LM67049A/14	31.75	62	16.764	11.811	40.6	0.8	1.5	57.8	84.4	0.446
single row Inch	15123/245	31.75	62	19.05	14.288	18.161	3.56	1.3	42.7	50.9	0.237
single row Inch	2580/20	31.75	66.421	25.357	20.638	25.4	3.5	3.3	69	89	0.402
single row Inch	02475N/20N	31.75	68.262	22.225	17.462	22.225	3.5	1.5	53.4	65.3	0.378
single row Inch	3193/20	31.75	72.626	29.997	23.812	30.162	3.5	3.3	80.4	97.6	0.598
single row Inch	JL26749/10	32	53	15	11.5	14.5	3.6	1.3	26.2	36.5	0.121
single row Inch	76/32B	32	75	28	23	29.75	2	2	77.8	95.7	0.6185
single row Inch	76/32B/P6	32	75	28	23	29.75	2	2	77.8	95.7	0.6185
single row Inch	TR0608A-N	32	75	28	23	29.75	1.5	1.5	74.7	86.5	0.624
single row Inch	M8048/10	33.338	68.262	22.225	17.462	22.225	0.8	1.5	56.3	71.3	0.382
single row Inch	639337A	33.338	76.2	28.575	23.02	29.37	0.8	3.3	78.5	106	0.678
single row Inch	LM48548/10	34.925	65.088	18.288	13.97	18.034	3.56	1.3	46	57.5	0.257
single row Inch	LM48549X/10	34.925	65.088	18.288	13.97	18.034	2.36	1.3	46	57.5	0.257
single row Inch	14136A/267	34.925	69.012	26.713	15.875	26.975	0.8	1.3	46.3	55.3	0.351
single row Inch	HM88649/10	34.925	72.233	25.4	19.842	25.4	2.5	2.5	66.3	86.9	0.482
single row Inch	02878/20	34.925	73.025	22.225	17.462	22.225	0.8	3.3	54.5	64.5	0.42
single row Inch	25877/21	34.925	73.025	24.608	19.05	23.812	1.5	0.8	69.2	87.75	0.46
single row Inch	31594/20	34.925	76.2	28.575	23.812	29.37	1.5	3.5	80.5	96.5	0.644
single row Inch	HM89446/10	34.925	76.2	28.575	23.02	29.37	3.5	3.3	79.7	79.7	0.639
single row Inch	639338A	34.925	76.2	28.575	23.02	29.37	3.5	3.3	78.5	106	0.654
single row Inch	L68149/10	34.988	59.131	16.764	11.938	15.875	3.56	1.3	36	48.6	0.172
single row Inch	L68149A/10	34.988	59.131	18.875	11.938	15.875	2.5	1.3	34.8	46.8	0.178
single row Inch	328227	34.988	59.947	18.5	13	13	2	1.3	24.5	29.3	0.148
single row Inch	L68149/11	34.988	59.974	16.764	11.938	15.875	3.56	1.3	36	48.6	0.179
single row Inch	LM78349/10A	34.988	61.973	17	13.6	16.7	4.75	1.5	41.1	53	0.21
single row Inch	TR070902/354A	34.988	85	21	17.462	20.638	1	1.3	71.9	82.1	0.597
single row Inch	JL68145/11	35	60	18.412	11.938	15.875	2.5	1.3	36	48.6	0.187
single row Inch	U298/U261L	35	64.8	20.6	14	18	2.3	1.3	47.5	52.3	0.258
single row Inch	30607	35	65	18.288	13.97	18	3.56L	1.3	46	58.8	0.255
single row Inch	CR-07A28	35	72	23.8	20	24.25	1.5	0.5	76.8	97.9	0.462
single row Inch	TR070803C	35	80	28.5	22	29.25	2	2	907	106.7	0.691
single row Inch	TR070803J-N	35	80	31	24	32.75	0.5	2.5	92.2	112.5	0.798
single row Inch	HM89449/10	36.512	76.2	28.575	23.02	29.37	3.5	3.3	79.7	108.4	0.618
single row Inch	HM89448/10	36.512	76.2	28.575	23.02	29.37	0.8	3.3	79.9	108.4	0.621

single row Inch	HM89249/10	36.512	79.375	28.829	22.664	29.37	3.5	3.3	89	108.6	0.689
single row Inch	25570/20	36.512	82.931	25.4	19.05	23.812	3.6	0.8	77.9	101	0.654
single row Inch	JL69345/10	38	63	19	13.5	17	3.56	1.3	35.5	51.3	0.202
single row Inch	JL69345/10E	38	63	19	15.5	18.5	4.75	1.3	35.5	51.3	0.219
single row Inch	JL69349/10	38	63	17	13.5	17	3.56	1.3	39	53.3	0.197
single row Inch	LM29748/LM29710	38.1	65.088	18.288	13.97	18.034	3.56	1.3	40	58.1	0.234
single row Inch	57410S/LM29710S	38.1	65.088	21.1	13.97	18.034	3.56	1.3	40	58.1	0.244
single row Inch	57207/LM29710	38.1	65.088	18.288	13.97	18.034	3.56	1.3	40	58.1	0.232
single row Inch	LM29749/11	38.1	65.088	18.288	15.748	19.812	2.3	1.3	40	58.1	0.251
single row Inch	LM29749/10	38.1	65.088	18.288	13.97	18.034	2.3	1.3	40	58.1	0.236
single row Inch	KLM29749/10	38.1	65.088	18.288	13.97	18.034	2.3	1.3	45.6	60.9	0.239
single row Inch	13687/20	38.1	69.012	19.05	15.083	19.05	2	0.8	47.3	62.4	0.295
single row Inch	2788/20	38.1	76.2	25.654	19.05	23.812	3.6	3.3	72.2	93.9	0.491
single row Inch	TR080702J	38.5	62	16.5	15	18.25	2	1.5	46.4	55.4	0.308
single row Inch	038KC68	38.5	68	16.5	15	18.25	2	1.5	44.1	55.6	0.257
single row Inch	038KC68/P5	38.5	68	16.5	15	18.25	2	1.5	44.1	55.6	0.257
single row Inch	TR080702J	38.5	72	16.5	15	18.25	2	1.5	46.4	55.4	0.308
single row Inch	639330/15A	39	72	20.638	16.764	21.43	3.3	0.8	46.4	63.5	0.355
single row Inch	M399	39.688	73.025	22.15	18.5	19.25	2.5	1.3	49.5	60.8	0.353
single row Inch	M365L	39.688	76	22.098	14.732	19.25	2.5	1.3	51.8	60.8	0.463
single row Inch	U399/U360L	39.992	72.8	22.098	15.265	19.25	2.3	1.3	54.9	65	0.351
single row Inch	TR080803R/3-9	40	80	29	23	30	1.5	1.5	88.2	111.8	0.676
single row Inch	LM300849/11	40.988	67.975	18	13.5	17.5	3.56	1.5	43.84	62.44	0.24
single row Inch	TFS300831A/811	40.988	67.975	18	13.5	17.5	1.5	1.5	42.4	59.7	0.241
single row Inch	1843CA/Y32008XZ	41	68	21	14.5	19	2	1	48	68	0.264
single row Inch	18590/20	41.275	73.025	17.462	12.7	16.667	3.5	1.5	44.7	57.2	0.218
single row Inch	LM501349/10	41.275	73.431	19.812	14.732	19.558	3.5	0.8	54.5	68.5	0.325
single row Inch	LM501349/10-N	41.275	73.431	19.812	14.732	19.558	3.5	0.8	56.6	72.4	0.236
single row Inch	LM501349/14	41.275	73.431	19.812	16.604	21.43	3.5	0.8	54.5	68.5	0.345
single row Inch	M802048/M11	41.275	82.55	25.654	20.193	26.543	3.5	3.3	84.8	106.9	0.624
single row Inch	HM803146/10	41.275	88.9	29.37	23.02	30.162	3.5	3.3	96.8	138	0.908
single row Inch	4388/35	41.275	90.488	40.386	33.338	39.688	3.6	3.2	140.2	182.1	1.24
single row Inch	3579/25	42.862	87.312	30.886	23.812	30.162	3.5	3.3	90.7	118.7	0.809
single row Inch	25580/20	44.45	82.931	25.4	19.05	23.812	3.5	0.8	77.9	101	0.554
single row Inch	3578/25-SLS	44.45	87.312	30.886	23.812	30.162	3.3	3.5	90.7	118.7	0.784
single row Inch	355X/52	44.45	90.119	21.692	21.808	23	3.5	2.3	75.2	93.1	0.671
single row Inch	3782/20	44.45	93.264	30.302	23.812	30.162	3.5	3.3	99.6	138.5	0.967
single row Inch	358X/54X	45	85	21.692	17.462	20.638	2	1.5	67.5	80.9	0.511
single row Inch	127509	45	85	23.5	20	24.75	1.5	1.5	66.5	89.5	0.5803
single row Inch	JW4549/JW10	45	95	26.5	20	29	2.5	2.5	89.7	110.3	0.905
single row Inch	T2ED045	45	95	35	30	36	3	3	147.9	182.1	1.191
single row Inch	17887/31	45.23	79.985	20.638	15.08	19.842	2	1.3	58.3	78.1	0.402
single row Inch	R45Z-6	45.23	79.985	20.638	15.08	19.842	2	1.3	63.8	75.7	0.387
single row Inch	LM102949/10	45.242	73.431	19.812	15.748	19.558	4	1	51.4	79	0.308
single row Inch	LM603049/11	45.242	77.788	19.842	15.08	19.842	3.5	0.8	57.6	73.8	0.363
single row Inch	LM603049/12	45.242	77.788	19.842	16.667	21.43	3.5	0.8	57.6	73.8	0.381
single row Inch	LM603049/14	45.242	79.974	19.842	15.08	19.842	3.5	0.8	57.6	73.8	0.394
single row Inch	LM603049A/14	45.242	79.974	19.842	15.08	19.842	0.8	1	57.6	73.8	0.398
single row Inch	25590/20	45.618	82.931	25.4	19.05	23.812	3.5	0.8	77.9	101	0.537
single row Inch	25590/23	45.618	82.931	25.4	22.225	26.988	3.5	2.3	77.9	101	0.58
single row Inch	LM503349A/10	45.987	74.976	18	14	18	3.56	1.5	50.54	74.86	0.299
single row Inch	LM503349/10	45.987	74.976	18	14	18	2.3	1.5	50.54	74.86	0.301

single row Inch	18690/20	46.038	79.375	17.462	13.495	17.462	2.8	1.5	44.2	57.6	0.33
single row Inch	306/47	47	100	43	37	43	2.5	2.5	155.4	210.3	1.585
single row Inch	386A/382A	47.625	96.838	21.946	15.875	21	0.8	0.8	76.55	100.2	0.729
single row Inch	TR5011444	50	114.3	44.45	34.925	44.45	3.5	3.3	184	240.6	2.183
single row Inch	JLM104948/10	50	82	21.5	17	21.5	3	0.5	67.3	95.3	0.412
single row Inch	JLM104946/10Z	50	82	24	17	21.5	3.5	0.5	67.3	95.3	0.421
single row Inch	JLM104945/10Z	50	82	27.62	17	21.5	3	0.5	67.4	95.4	0.444
single row Inch	JM205149/10	50	90	28	23	28	3	2.5	106.5	140	0.749
single row Inch	TFS1002A/3720	50	93.264	30.302	23.812	30.162	3.5	3.3	99.6	138.5	0.864
single row Inch	T2ED050	50	100	35	30	36	3	3	149.6	201	1.295
single row Inch	LM104949/10	50.8	82	22.225	17	21.973	3.5	0.5	69.7	95.3	0.409
single row Inch	LM104949/11	50.8	82.55	22.225	16.51	21.59	3.5	1.3	69.7	95.3	0.412
single row Inch	18790/20	50.8	85	17.462	13.495	17.462	3.5	1.5	48.3	66.7	0.372
single row Inch	368A/362A	50.8	88.9	22.2	16.513	20.638	3.5	1.3	75.4	89	0.494
single row Inch	368/362A	50.8	88.9	22.225	16.513	20.638	1.5	1.3	77.9	92.9	0.522
single row Inch	368/362	50.8	90	22.225	15.875	20	1.5	2	77.9	92.9	0.531
single row Inch	3780/3720	50.8	93.264	30.302	23.812	30.162	3.5	3.3	99.6	138.5	0.855
single row Inch	368S/362	51.592	90	22.225	15.875	20	2	2	77.9	92.9	0.519
single row Inch	28584/21	52.388	92.075	25.4	19.845	24.608	3.5	0.8	84.5	117	0.667
single row Inch	LM806649/10	53.975	88.9	19.05	13.492	19.05	2.3	2	63.6	87.4	0.436
single row Inch	32911JR-N	55	80	17	14	17	1.5	1	44.6	73.1	0.272
single row Inch	JLM506849A/11	55	90	23	20.5	25	3.5	0.5	80	113.2	0.5746
single row Inch	R55-8	55	100	31	24.5	32	2.5	2	123.7	169.5	1.03
single row Inch	30611B	55	125	36	25	37	3	2	162.2	191.7	2.069
single row Inch	T7GB055	55	130	33	22	36	2.5	2.5	170.5	185.1	2.105
single row Inch	28680/22	55.562	97.63	24.608	19.446	24.608	3.5	0.8	88.24	137	0.766
single row Inch	CBK494	57	85	19	14	18.5	1.5	1.5	56.2	85.9	0.339
single row Inch	L507949g/10g	57.15	87.312	18.258	14.288	18.258	2	1.5	56.1	89.8	0.379
single row Inch	387S/382A	57.15	96.838	21.946	15.875	21	0.8	0.8	76.55	100.2	0.592
single row Inch	387A/382A	57.15	96.838	21.946	15.875	21	3.5	0.8	76.55	100.2	0.586
single row Inch	387/382A-TRW	57.15	96.838	21.946	15.875	21	2.3	0.8	80.5	100.4	0.59
single row Inch	387D/382S	57.15	96.838	21.946	20.274	25.4	3.5	2.3	80.5	100.4	0.652
single row Inch	387AS/382A-TRW	57.15	96.838	21.946	15.875	21	5	0.8	80.5	100.4	0.581
single row Inch	462/453X	57.15	104.775	29.317	24.605	30.162	2.3	3.3	117.3	151.9	1.054
single row Inch	7911	57.15	104.775	29.317	24.605	30.162	2.3	3.3	115.3	161.7	1.078
single row Inch	469/453X	57.15	104.775	29.317	24.605	30.162	3.5	3.3	111.9	151.9	1.054
single row Inch	45291/20	57.15	104.775	30.958	23.812	30.162	6.4	3.3	127.2	167.5	1.057
single row Inch	39580/20	57.15	112.712	30.162	23.812	30.162	3.5	3.3	148.6	209.3	1.4
single row Inch	555Sg/552Ag	57.15	123.825	36.678	30.162	38	3.5	3.3	164.7	228.7	2.167
single row Inch	JW6049/10	60	125	33.5	26	37	3	3	152	199.8	2.023
single row Inch	28985/20	60.325	101.6	25.4	19.845	25.4	3.5	3	91	135	0.787
single row Inch	28985A/20	60.325	101.6	25.4	19.845	25.4	5	3	91	135	0.785
single row Inch	39250/12	63.5	104.775	22	15.875	21.433	2	2	85.7	112.2	0.673
single row Inch	39250A/12	63.5	104.775	22	15.875	21.433	5	2	85.7	112.2	0.667
single row Inch	29587/20	63.5	107.95	25.4	19.05	25.4	5	3.3	94	145	0.918
single row Inch	29586A/22	63.5	107.95	25.4	19.05	25.4	5	1.5	94	145	0.913
single row Inch	29586YA/22YA	63.5	107.95	25.4	19.05	25.4	5	3	94	145	0.908
single row Inch	524884	63.5	120	41	32	41	2	2.5	209.2	294.1	2.052
single row Inch	HM212047XA1/11	63.5	122.263	38.354	29.718	38.1	8	3.15	184.3	254.3	1.91
single row Inch	78250/51	63.5	140.03	33.236	23.52	36.512	2.3	2.3	152.4	181.3	2.401
single row Inch	7813E-HQ	65	110	30	24	30.5	3	3	124.2	181	1.131
single row Inch	TR131305R	65	130	48	39	51	3	3	241.5	337.7	2.95

single row Inch	TFS1333A-SLS	65	130	48	39	51	3.5	3.5	241.5	337.7	2.95
single row Inch	30613	65	130	43	35	45	8	2.5	222.2	315.2	2.611
single row Inch	30613B	65	140	39	26	40	3.5	2	204.5	245.9	2.736
single row Inch	29590/22	66.675	107.95	25.4	19.05	25.4	3.5	1.5	94	145	0.855
single row Inch	395A/394A	66.675	110	21.996	18.824	22	0.8	1.3	88.2	117.9	0.789
single row Inch	39590/20	66.675	112.712	30.162	23.812	30.162	3.5	3.3	148.6	209.3	1.183
single row Inch	3984/20	66.675	112.712	30.048	23.812	30.162	3.5	3.3	103	154.2	1.135
single row Inch	HM212049/11	66.675	122.238	38.354	29.718	38.1	3.5	3.3	184.3	254.3	1.848
single row Inch	H414245A/10	68.262	136.525	41.275	31.75	41.275	8	3.3	219.7	299.5	2.645
single row Inch	TR6814342	68.262	143	41.275	32.75	42.275	8	2.5	240	299.2	3.041
single row Inch	9278/20	68.262	161.925	49.212	31.75	49.212	3.5	3.3	250.8	294.3	4.518
single row Inch	H913849-N/10-N	69.85	146.05	39.688	25.4	41.275	3.5	3.3	176.7	198.5	2.731
single row Inch	538971	70	130	42	35	43	8	2.5	242.4	342.2	2.418
single row Inch	JH913848/J11	70	150	39.688	25.4	41.275	2	3.3	205.2	244.7	3.07
single row Inch	33281/462	71.438	117.475	30.162	23.812	30.162	3.5	3.3	119.8	181.1	1.218
single row Inch	306/73	73	101	17	13	17	1	1	55.1	97.8	0.378
single row Inch	33287/462	73.025	117.475	30.162	23.812	30.162	3.5	3.3	119.8	181.1	1.173
single row Inch	30615	75	135	45	36.5	44.5	2	1.5	222.9	346.8	2.7
single row Inch	32315X3	75	180	60	45	63.5	3	3	405.3	526.9	7.795
single row Inch	34300/478B	76.2	121.442	23.012	17.462	19.908	2	2	91.9	129.2	0.958
single row Inch	6461A/20	76.2	149.225	54.299	44.45	53.975	9.7	3.3	287.3	406.4	4.144
single row Inch	30616	80	130	30.8	25	32	2.5	2.5	162.3	252.8	1.56
single row Inch	804358	80	140	39.25		39.25	2.5	2	227.7	364.1	2.612
single row Inch	NP569484/644537	81.98	139.98	36.098	28.575	36.512	10	3.5	177.5	265.2	2.136
single row Inch	580/72	82.55	139.992	36.098	28.575	36.512	3.3	3.5	177.5	265.2	2.169
single row Inch	27695/20	84.976	125.412	25.4	19.845	25.4	5	1.5	101.2	162.3	0.974
single row Inch	JM716649/10	85	130	29	24	30	3	2.5	144.2	230.9	1.368
single row Inch	497/2A	85.725	133.35	29.769	22.225	30.162	3.5	3.3	134.5	199.7	1.423
single row Inch	HM518445/10	88.9	152.4	39.688	30.162	39.688	6.4	3.3	247.2	375	2.837
single row Inch	K-HM518445/10	88.9	152.4	39.688	30.162	39.688	6.4	3.3	242.8	369.6	2.828
single row Inch	K-HM218248/10	89.974	146.975	40	32.5	40	7	3.5	235.6	367.6	2.546
single row Inch	HM218248/10	89.974	146.975	40	32.5	40	7	3.5	222.4	350.9	2.507
single row Inch	TRA181504	90	150	36	30	38.5	2	2.5	211.2	302.6	2.471
single row Inch	30619	95	160	47	38	47	3	2.5	298.5	443.3	3.692
single row Inch	TR191604	95	160	40	34	42.5	5.5	3	245.2	358.7	3.156
single row Inch	594/592A	95.25	152.4	36.322	30.162	39.688	3.5	3.3	186	290.6	2.468

